



## **TABLE OF CONTENTS**



ABOUT US	
Introducing Pile Critter	. 5
D. A. D. L. C.	
PRODUCTS	
CFA tools	6
CONTACTS	
Team contact info	11

#### **ABOUT PILE CRITTER**



#### COMPANY

Founded in 2022, PileCritter is a swiftly growing company in the European drilling market. Our team, though small, is rich in diversity and expertise, encompassing a range of roles from strategic leadership to market-specific business development. Fluent in multiple languages, our team is well-equipped to cater to various European markets. Together, our mission is rooted in delivering value through reliable, high-performance tools essential for construction and civil engineering.

At PileCritter, we're driven by a relentless dedication to our customers, aiming to be the cornerstone of Europe's drilling industry. Our vision encompasses not just supplying tools but fostering growth and progress in every project we touch. We're focused on enhancing our services by developing rapid response teams, further decreasing dispatch times, and expanding our product catalogue. Join us in redefining drilling industry standards with solutions that speak of quality, efficiency, and innovation!

#### **EU HUB**

Focusing on local stock within Europe, PileCritter has significantly reduced delivery times and improved service dependability for our European clients. This strategic move underscores our dedication to addressing the unique requirements of the European market and strengthening our position in the region.

#### **BESPOKE SERVICE**


We are eager to take on special requests, ensuring clients receive precisely what they need for their projects. We specialize in understanding unique requirements and leveraging an extensive product range to fulfill even the most specific demands. With a focus on customization and adaptability, our team is committed to turning special requests into reality, offering solutions that are not just satisfactory, but perfectly aligned with each client's unique business needs.




## **CONTINUOUS FLIGHT AUGERS (CFA)**



### **FLANGE TYPE CFA ROD**



D: Diameter L: Length P: Pitch D: Central pipe diameter T: Flight thickness




DIAMETER (mm)	INNER DIAMETER (mm)	CENTER PIPE (mm)	PITCH (mm)	FLIGHT THICKNESS (mm)	HEXAGONAL COUPLING SIZE
300	100	146x20	300	20	HEX150
	125	180x25	300	20	HEX180
	100	146x20	400	20	HEX150
400	125	180x25	400	20	HEX180
	125	219x25	400	20	HEX200
	100	180x20	500	20	HEX150
500	125	180x25	500	20	HEX180
500	125	219x25	500	20	HEX200
	125	273x25	500	20	HEX220
	100	180x20	500	20	HEX150
600	125	180x25	500	20	HEX180
600	125	219x25	500	20	HEX200
	125	273x25	500	20	HEX220
	125	180x25	500	20	HEX180
700	125	219x25	500	20	HEX200
	125	273x25	500	20	HEX220
	125	180x25	500	20	HEX180
800	125	245x25	500	20	HEX200
	125	273x25	500	20	HEX220
	125	180x25	500	20	HEX180
900	125	245x25	500	20	HEX200
	125	273x25	500	20	HEX220
	125	180x25	500	20	HEX180
1000	125	245x25	500	20	HEX200
	125	273x25	500	20	HEX220

## **CONTINUOUS FLIGHT AUGERS (CFA)**



### **FLANGE TYPE CFA ROD**




SIZE	DIAMETER(D) (mm)	PITCH(P) (mm)	Flight thickness(T) (mm)	Lenght(L) (m)
Ø300	280	280	16	2-10
Ø400	380	300	16	2-10
Ø500	480	350	16	2-10
Ø600	580	400	20	2-10
Ø700	680	400	20	2-10
Ø800	780	500	20	2-10
Ø900	880	500	25	2-10
Ø1000	980	600	25	2-10





Auger's head for rock drilling

### **H**EXAGONAL TYPE CFA ROD



SIZE	DIAMETER(D) (mm)	PITCH(P) (mm)	Flight thickness(T) (mm)	Lenght(L) (m)
Ø300	280	280	16	2-10
Ø400	380	300	16	2-10
Ø500	480	350	16	2-10
Ø600	580	400	20	2-10
Ø700	680	400	20	2-10
Ø800	780	500	20	2-10
Ø900	880	500	25	2-10
Ø1000	980	600	25	2-10




Auger's head for soil drilling

## **CONTINUOUS FLIGHT AUGERS (CFA)**



### TRIAXIAL STIR TYPE CFA ROD



SIZE	DIAMETER(D) (mm)	PITCH(P) (mm)	Flight thickness(T) (mm)	Spacing(S) (mm)
SZ600	580	1000	30	500
SZ700	680	1150	30	500
SZ800	780	1300	30	600
SZ900	880	1400	30	650
SZ1000	980	1550	30	700






Continuous flight auger's head for sample of coal seam

Auger couplings

### DTH HAMMER TYPE CFA ROD



SIZE	DIAMETER(D) (mm)	PITCH(P) (mm)	Flight thickness(T) (mm)	Lenght(L) (m)
Ø300	280	280	16	2-10
Ø400	380	300	16	2-10
Ø500	480	350	16	2-10
Ø600	580	400	20	2-10
Ø700	680	400	20	2-10
Ø800	780	500	20	2-10
Ø900	880	500	25	2-10
Ø1000	980	600	25	2-10





# Connect with us for a personalised service.

Reach out to be assigned your dedicated account manager, ready to assist with all your project needs:

Tel: +371 200 20 375

E-mail: <a href="mailto:info@pilecritter.com">info@pilecritter.com</a>

www.pilecritter.com

